Plot 4a-1 Arthurs Brook. Thinned in 1930, rectangular plot established in 1931, size is 7705 square feet

Latitude- 41 24 14.98780 N

Longitude- 74 01 12.13563 W

Tree number- unique number assigned to each tree and painted on trunk bark

Species- RO (red oak, Quercus rubra), CO (chestnut oak, Quercus prinus), SO (scarlet oak, Quercus cocc

Coordinates- measured in feet from plot corner

Ingrowthyr- year when ingrowth was first recorded

Censinyr- left censored yr (present in plot when first sampled)

Deathyr- year when death was first recorded

Censoryr- right censoring (e.g., cut down)

Diameter at breast height- trunk diameter in inches rounded to the nearest tenth. Measured with diam Height- vertical distance in feet from ground to live top as measured with clinometer or laser rangefind Canopy class- d= dominant, c= codominant, i= intermediate, s= supressed (or "o" for overtopped) cinea), BO (black oak, Quercus velutina), WO (white oak, Quercus alba), SM (sugar maple, Acer sacchar

eter tape at painted line on all live trees 0.5 inches or greater dbh at line, generally after July 15 of each

um), RM (red maple, Acer rubrum), MW (moosewood, Acer pensylvanicum), BB (black birch, Betula leni

year to represent end of year measurement, sometimes measured as late as spring of following year (9,

ta), GB (gray birch, Betula populifolia), YB (yellow birch, Betula allagheniensis), PH (pignut hickory, Carya

/14/31, 7/14/36, 10/16/41, 5/17/46, 12/15/54, 7/21/61, 9/23/65, 7/24/73, 8/1/79, 5/24/84, 10/30/89,

a glabra), SH (shagbark hickory, Carya ovata), BA (basswood, Tilia americana), CH (American chestnut, C

8/23/93, 11/5/94, 7/6/95, 7/29/96, 8/7/97, 7/21/98, 7/20/99, 4/10/01, 8/7/01, 8/12/02, 8/1/03, 7/21

Castanea dentata), HM (eastern hemlock, Tsuga canadensis), SB (shadbush, Amelanchier canadensis), N

NA (white ash, Fraxinus americana), BG (black gum, Nyssa sylvatica), BE (American beech, Fagus granc

lifolia), BC (black cherry, Prunus serotina), DW (dogwood, Cornus florida), AL (alder, Alnus ru