

1988

ADULT DOES (18)

<u>AGE</u>	<u>WEIGHT</u>	<u>GIRTH</u>
2 1/2 yrs.	86 lbs.	32 in.
3 1/2	72	30
2 1/2	89	31 1/2
3 1/2	103	31 1/2
6 1/2	80	30
4 1/2	80	30
2 1/2	76	30 1/2
3 1/2	86	31
4 1/2	92	32 1/2
2 1/2	86	33
6 1/2	88	33 1/2
2 1/2	98	34 1/2
7 1/2	95	—
3 1/2	77	31
4 1/2	108	38
2 1/2	92	30
4 1/2		
4 1/2		

FAWNS (3)

0-5	43	
0-6	62	31
0-5	43	26

YEARLINGS (3)

1-5	70	31 1/2
1-5	79	27 1/2
1-7	80	33

## YEARLING Bucks (14)

<u>AGE</u>	<u>WEIGHT</u>	<u>GIRTH</u>	<u>BEAM</u>	<u>POINTS</u>
-	-	-	-	SPK
1-5	62	29	15	SPK
1-7	114	31½	19	5
1-5	92	31½	13	SPK
1-6	84	31½	15	3
1-5	79	31	11	SPK
1-5	71	30	16	SPK
1-7	82	31½	15	3
1-7	100	32½	16	6
1-7	98	32	20	6
1-7	98	33½	17	3
1-5	79	27½	12	SPK
1-5	73	29	-	99
1-6	63	26	11	SPK
	<hr/> 84 lbs.		<hr/> 15.0	

## FAWN Bucks (1)

0-5	44 lbs.	25	-	-
-----	---------	----	---	---

# ADULT BUCKS (8)

<u>AGE</u>	<u>WEIGHT</u>	<u>GIRTH</u>	<u>BEAM</u>	<u>POINTS</u>
2½	105	32	21	4
2½	93	33	17	4
2½	138	36	25	7
2½	75	30½	13	SPK
2½	84	29½	19	5
2½	90	30½	15	SPK
2½	83	29½	16	5
2½	<u>101</u>	<u>32½</u>	<u>24</u>	<u>7</u>
Avg.	96 lbs	31½	18.8	4.5

SEX FREQUENCY DISTRIBUTION BY YEAR CLASS FOR DEER KNOWN TO HAVE BEEN REMOVED\*

	1984		1985		1986		1987		1988		KNOWN MORTALITY MISCELLANEOUS		MIN. POP KNOWN		TOTAL
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1973													0	0	0
1974													0	0	0
1975													0	0	0
1976		1			1								0	2	2
1977		1											0	1	1
1978												1	0	1	1
1979					2								0	2	2
1980		1			2		2					1	0	6	6
1981	2			1	3		2		1				2	7	9
1982	5	1	4	3	1		1		2			1	9	9	18
1983	22	5	3	5	2	4		5					27	19	46
1984		1	32	2	9	7	1	6		5		1	42	22	64
1985			6	3	37	5	10	8		4	3	2	56	22	78
1986					8	4	22	1	8	6	3	6	41	17	58
1987							7	4	13	3	1	2	21	9	30
1988									2	3			2	3	5
1989															
TOTAL	29	10	45	14	56	29	40	29	23	24	7	14	200	120	320

\*The data represent the population composition each year at the time fawns were born.