Plot 4a-2c White Oak control. Rectangular plot established in 1931, size is 4112 square feet.

Latitude- 41 24 09.19121 N Longitude- 74 01 10.11858 W

Tree number- unique number assigned to each tree and painted on bark

Species-RO (red oak, Quercus rubra), CO (chestnut oak, Quercus prinus), SO (scarlet oak, Quercus coccinea), BC

Coordinates- measured in feet from plot corner

Ingrowthyr- year when ingrowth was first recorded

Censinyr- left censored yr (present in plot when first sampled)

Deathyr- year when death was first recorded

Censoryr- right censoring (e.g., cut down)

Diameter at breast height- trunk diameter in inches rounded to the nearest tenth. Measured with diameter tape

Height- vertical distance in feet from ground to live top as measured with clinometer or laser rangefinder

Canopy class- d= dominant, c= codominant, i= intermediate, s= supressed (or overtopped)

) (black oak, Quercus velutina), WO (white oak, Quercus alba), SM (sugar maple, Acer saccharum), RM (red mapl
at painted line on all live trees 0.5 inches or greater dbh at line, generally after July 15 of each year.

le, <i>Acer rubrum</i> ), MW (moosewood, <i>i</i>	A <i>cer pensylvanicum</i> ), BB (black bi	rch <i>, Betula lenta</i> ), GB (gray birch <i>, Betula p</i> o

ာpulifolia ), YB (yellow birch	, Betula allagheniensis),	PH (pignut hickory, Ca	rya glabra), SH (shagb	ark hickory, C <i>ary</i> e

🤋 ovata), BA (basswood, Tilia americana), CH (American chestnut, Castanea dentata), HM (eastern hemlo	

ock, Tsuga canadensis), SB (shadbush, Amelanchier canadensis), WA (white ash, Fraxinus americana), BG	(black

gum, <i>Nyssa sylvatica</i> ), BE (America	n beech. <i>Fagus grandifolia</i>	). BC (black cherry, <i>Prunu</i> s	s serotina). DW (dogwood
gam, rejoca ojivanca j, 52 (rimerica)	T Secon, r agae grananona	y, be (black ellerly), ranac	o corouna y, ove (dogwood

ៅ, Cornus florida), AL (alder, Alnus rugosa)